



US00D335519S

United States Patent [19]

[11] Patent Number: Des. 335,519

Tripp

[45] Date of Patent: ** May 11, 1993

[54] FIREARM TRIGGER DEVICE

2,948,978 8/1960 Salverda 42/70.07 X
3,711,979 1/1973 Small 42/70.07

[76] Inventor: Virgil Tripp, 8907 Sparkling Creek
Cir., Austin, Tex. 78729

Primary Examiner—Wallace R. Burke
Assistant Examiner—H. Baynham
Attorney, Agent, or Firm—James L. Jackson

[**] Term: 14 Years

[21] Appl. No.: 419,441

[57] CLAIM

[22] Filed: Oct. 10, 1989

The ornamental design for a firearm trigger device, as
shown and described.

[52] U.S. Cl. D22/108

[58] Field of Search D22/108; 89/144-145,
89/140, 149; 42/69.02, 90

DESCRIPTION

[56] References Cited

U.S. PATENT DOCUMENTS

1,569,553 1/1926 Lewis et al. 42/70.07 X
2,286,932 6/1942 Roemer 89/145
2,512,140 6/1950 Childs et al. 42/70.07 X

FIG. 1 is a perspective view of a firearm trigger device
showing my new design;
FIG. 2 is a side elevational view thereof;
FIG. 3 is an opposite side elevational view thereof;
FIG. 4 is a front elevational view thereof;
FIG. 5 is a rear elevational view thereof; and,
FIG. 6 is a bottom plan view thereof.




FIG.1




FIG.2




FIG.4




FIG.3





FIG.5




FIG.6



US00D344125S

United States Patent [19]

Strayer et al.

[11] **Patent Number:** Des. 344,125[45] **Date of Patent:** ** Feb. 8, 1994[54] **GRIPLESS FRAME FOR A HANDGUN**

[76] **Inventors:** **Sandy L. Strayer**, 305 Hickok, Round Rock, Tex. 78681; **Virgil P. Tripp**, 8907 Sparkling Creek Cir., Austin, Tex. 78729

[**] **Term:** **14 Years**[21] **Appl. No.:** **943,609**[22] **Filed:** **Sep. 9, 1992****Related U.S. Application Data**

[63] Continuation-in-part of Ser. No. 844,417, Mar. 2, 1992.
[52] **U.S. Cl.** **D22/108**
[58] **Field of Search** 42/59, 78-79,
42/75.02, 75.03; D22/108, 104

[56] **References Cited****U.S. PATENT DOCUMENTS**

D. 118,863 2/1940 Massberg 42/49.01
4,590,698 5/1986 Finn 42/78
4,999,939 3/1991 Reese et al. 42/75.03

Primary Examiner—A. Hugo Word*Assistant Examiner*—R. Seifert*Attorney, Agent, or Firm*—James L. Jackson[57] **CLAIM**

The ornamental design for a gripless frame for a handgun, as shown and described.

DESCRIPTION

FIG. 1 is an front view of a frame for a gripless frame for a handgun showing our new design;
FIG. 2 is a side elevational view thereof;
FIG. 3 is an opposite side elevational view thereof;
FIG. 4 is a rear elevational view thereof;
FIG. 5 is a plan view thereof; and,
FIG. 6 is a bottom plan view thereof.




FIG. 1




FIG. 4




FIG. 5




FIG. 2




FIG. 6





FIG. 3





US00D345002S

United States Patent [19]

Strayer et al.

[11] Patent Number: Des. 345,002

[45] Date of Patent: ** Mar. 8, 1994

[54] **COMBINED FRAME WITH GRIP FOR HANDGUNS**

[76] Inventors: **Sandy L. Strayer**, 305 Hickok, Round Rock, Tex. 78681; **Virgil P. Tripp**, 8907 Sparkling Creek Circle, Austin, Tex. 78729

[**] Term: **14 Years**

[21] Appl. No.: **939,874**

[22] Filed: **Sep. 8, 1992**

[52] U.S. Cl. **D22/108; D22/104**

[58] Field of Search **42/59, 78, 79, 75.02, 42/75.03; D22/104, 108**

[56] **References Cited**

U.S. PATENT DOCUMENTS

D. 335,520 5/1993 Capone D22/108

3,815,270 6/1974 Pachmayr 42/71.02
3,901,125 8/1975 Raville 42/71.02
4,742,634 5/1988 Swenson 42/71.02

Primary Examiner—A. Hugo Word

Assistant Examiner—R. Seifert


Attorney, Agent, or Firm—James L. Jackson

[57] **CLAIM**

The ornamental design for a combined frame with grip for handguns, as shown and described.

DESCRIPTION

FIG. 1 is an front view of a combined frame with grip for handguns showing our new design;
FIG. 2 is a side elevational view thereof;
FIG. 3 is an opposite side elevational view thereof;
FIG. 4 is a plan view thereof;
FIG. 5 is a bottom plan view thereof; and,
FIG. 6 is a rear elevational view thereof.






FIG. 2

FIG. 1




FIG. 5




FIG. 4






FIG. 3

FIG. 6





US00D347256S

United States Patent [19]

Strayer et al.

[11] Patent Number: Des. 347,256

[45] Date of Patent: ** May 24, 1994

[54] COMBINED GRIP AND TRIGGER GUARD FOR A HANDGUN

[76] Inventors: Sandy L. Strayer, 305 Hickok, Round Rock, Tex. 78681; Virgil P. Tripp, 8907 Sparkling Creek Cir., Austin, Tex. 78729

[**] Term: 14 Years

[21] Appl. No.: 943,610

[22] Filed: Sep. 9, 1992

Related U.S. Application Data

[63] Continuation-in-part of Ser. No. 844,392, Mar. 2, 1992.

[52] U.S. Cl. D22/108

[58] Field of Search 42/59, 78-79, 42/75.02, 75.03; D22/108, 104

[56] References Cited

U.S. PATENT DOCUMENTS

D. 269,895 7/1983 Bianchi D22/104

D. 273,316	4/1984	Lambert		D22/104
D. 302,289	7/1989	Lambert		D22/108
D. 335,520	5/1993	Capone		D22/108
1,027,556	5/1912	Marshall		42/71.02
1,352,267	9/1920	Hubbell		42/70.02
4,742,634	5/1988	Swenson		42/71.02

Primary Examiner—A. Hugo Word

Assistant Examiner—R. Seifert

Attorney, Agent, or Firm—James L. Jackson

[57] CLAIM

The ornamental design for a combined grip and trigger guard for a handgun, as shown and described.

DESCRIPTION

FIG. 1 is a front view of a grip for a combined grip and trigger guard for a handgun showing our new design; FIG. 2 is a side elevational view thereof; FIG. 3 is an opposite side elevational view thereof; FIG. 4 is a rear elevational view thereof; FIG. 5 is a bottom plan view thereof; FIG. 6 is a top plan view thereof; and, FIG. 7 is an isometric view thereof.




FIG. 1




FIG. 2




FIG. 4




FIG. 3




FIG. 5




FIG. 6




FIG. 7

